# INDEX


*Acmeodon*, diagnosis, 216
*A. secans*, 216; figure, Pl. LVI; measurements, 217; revised diagnosis, 217
*acolytus*, (*Ellipsodon*) 200; (*Hyopsodus*) 200; (*Mioclaenus*) 200
*acupictus*, (*Plastomenus*) 335
*Adapicreodon*, 59
adaptive creodonts, Schlosser, 100
*admirabilis*, (*Conchochelys*) 341
*Adocus*, discussion, 336
*A. annexus*, diagnosis, 337
*A. hesperius*, diagnosis, 337
*A. onerosus*, diagnosis, 337
*A. substrictus*, description, 337
*aequidens*, (*Ellipsodon*) 203
*agapetillus*, (*Anisonchus*) 206, 208; (*Oxyacodon*) 208
*Alamosemys*, 336
*A. annexa*, 337
*A. substricta*, 336, 337
Allodontia, Marsh study, 290
*Allognathosuchus*, 366
*A. mooki*, 344, 366
Allotheria, discussion, 277; Marsh misstatement, 278; nomenclature, 278
Almagre, correlation, 7, 346
Amblypoda, characters, 105
Ameghino (and Roth), Patagonian genera, 107
*americanus*, (*Eucosmodon*) 294; (*Neoplagiaulax*) 294
*Amyda*, 344
*A. eloisae*, diagnosis, 344
*angustus*, (*Haploconus*) 156; (*Mioclaenus*) 155, 156
Animas flora, 346, 348, 349, 353, 354
*Anisonchus*, affinities, 152; diagnosis, 152; figure, Pl. XXXIV; Torrejon foot type, 318
*A. agapetillus*, 208
*A. coniferus*, 145; description, 146
*A. cophater*, 149
*A. gillianus*, description, 154; figure, 109, 154, Pls. XXXVI, XXXVII
*A. sectorius*, description, 153; figure, 109, 153, Pls. XXXVI, XXXVII
*annexa*, (*Adocus*) 337; (*Alamosemys*) 337
*antiqua*, (*Platypeltis*) 344
*antiquus*, (*Chriacus*) 364; (*Triisodon*) 79
*apiculatus*, (*Oxyacodon*) 205, 206, 207
Arctocyonidae, 364; definition, 15; figure, 20, 21, 22; Gidley view, 28; synopsis of genera, 18, 19; subfamilies, 23, 38, 64, 74; Teilhard view, 28
Arctocyoninae, 23
*arenosa*, (*Baëna*) 334
Artiodactyla, evolution and migration, 106
*aspasiae*, (*Psittacotherium*) 269
*Aspideretes*, diagnosis, 341
*A. perplexus*, diagnosis, 342
*A. puercensis*, diagnosis, 343
*A. quadratus*, diagnosis, 342
*A. reesidei*, diagnosis, 341
*A. sagatus*, 342; diagnosis, 343
*A. singularis*, description, 343
*A. vegetus*, diagnosis, 342
*assurgens*, (*Microclaenodon*) 99; (*Triisodon*) 99
*australis*, (*Champsosaurus*) 328

*Baëna*, diagnosis, 334
*B. arenosa*, 334
*B. escavada*, 334
*Baëna* sp., 335
Baënidae, 334
Baldwin, David, 1; *Chriacus*, 66; collections, 51, 128, 156, 288, 345
*baldwini*, (*Hemithlaeus*) 204
*bathmodon*, (*Pantolambda*) 163
Bauer, C. M., correlation, 345, 346; formational names, 346; stratigraphy, 2, 3, 4
Baur, G., primitive mammalian characters, 315
Belly River, correlation, 6, 347, 348
Bensley, B. A., marsupial study, 324
*bicarinata*, (*Hoplochelys*) 339
Blainville, H. M. de, classification, 16
Bonaparte, C. L., Trionychidae, 341
*brabensis*, (*Periptychus*) 112, 123
Bridger, 12
Broom, Robert, classification of Insectivora, 210; mammalian tibiale, 167; multituberculate study, 278, 279; Permian study, 325; reptilian navicular, 143; *Taeniolabis* study, 280
Brown, Barnum, champsosaurs, 327, 328; *C. australis*, 328, 329; *C. saponensis*, 329, 330; correlation, 345, 346, 347; formational names, 346; Ojo Alamo, 3

*Calamodon*, 234; part basis of Cope's Taeniodonta, 228
Calamodontidae, diagnosis, 235
*calceolatus*, (*Phenacodus*) 192
Camp, Charles, collections, 363
*campi*, (*Kimbetohia*) 363
*canadensis*, (*Leidyosuchus*) 366
Canidae, Wortman, 100
Cannonball, 353
*Carcinodon*, diagnosis, 57
*C. filholianus*, diagnosis, 57; figure, 21, 22, 58; measurements, 58
*carinidens*, (*Periptychus*) 112
Carlsson, A., classification of Insectivora, 210
Carnassidentia, Wortman, 100
*carnifex*, (*Dissacus*) 96
Carnivora, ancestral types, 35; dentition, 313
*Carsioptychus*, diagnosis, 365
*Catathlaeus*, identification with *Periptychus*, 155
*C. rhabdodon*, 111, 121
*Catopsalis*, 285
*C. fissidens*, 288, 289
*C. foliatus*, 286; figure, 287; revised diagnosis, 288
*C. pollux*, 279, 281, 282; diagnosis, 280
*cavirictus*, (*Pantolambda*) 180
Cernaysian. *See* European correlation
Champsosauridae, 328
*Champsosaurus*, 328
*C. australis*, 328; diagnosis, 329
*C. profundus*, 328
*C. puercensis*, diagnosis, 329
*C. saponensis*, 329; diagnosis, 330
Chelonia, Gilmore's families, 327; Gilmore's list, 332
*Chelydra crassa*, 338
Chirogidae, 289
*Chirox*, diagnosis, 290
*C. plicatus*, 289, 290; description, 292
Choristodera, 328
Chriacidae, diagnosis, 17
Chriacinae, 64

*Chriacus*, diagnosis, 64; establishment of type, 68; figure, Pl. VIII; relationships, 35, 65
*C. angulatus*, 64
*C. antiquus*, diagnosis, 364
*C. baldwini*, 65, 66
*C. hyattianus*, 41; description, 43
*C. inversus*, 224, 226
*C. pelvidens*, 65; diagnoses, 66; figure, Pl. VIII
*C. priscus*, 41; description, 51
*C. rütimeyeranus*, 54, 361
*C. schlosserianus*, 67; figure, Pl. VIII
*C. simplex*, 40
*C. stenops*, 65
*C. truncatus*, 67
Cimolestidae, 297
Cimolodontidae, Marsh family, 289
*Claenodon*, 56; description, 29; diagnosis, 23; relationships, 35; Torrejon foot type, 318
*C. ferox*, 23, 238; description, 24; figure, Pl. II; Wortman view, 28
*C. corrugatus*, description, 36; figure, Pls. I, III–VI
Clark, Austin, evolution of life, 355
Clark Fork, 7, 349, 350, 357
*coarctatus*, (*Periplychus*) 122
*comma*, (*Conoryctes*) 250
*Compsemys*, diagnosis, 332
*C. parva*, 332; diagnosis, 333
*C. puercensis*, diagnosis, 333
*C. torrejonensis*, 333
*C. vafer*, diagnosis, 333
*C. victa*, 332
*Conacodon*, diagnosis, 145
*C. entoconus*, description, 145, 146; measurements, 148; figure, 109, Pl. XXXIII
*C. cophater*, description, 149; figure, 109, 149, Pl. XXXIV
*Conchochelys*, 341
*C. admirabilis*, diagnosis, 341
Condylarthra, 364; characters, 105; dentition, 313; discussion, 185; figure, 186; relationships, 106
*coniferus*, (*Anisonchus*) 145
*Conoryctes*, 233; diagnosis, 249; incisor specialization, 254; position, 254
*C. comma*, 249; description, 250; figure, 253, Pl. LVIII; revised description, 251
*C. crassicuspis*, 80
Conoryctidae, 235; Wortman classification, 229
Conoryctinae, 249; diagnosis, 236
Cope, E. D., 1, 3, 7, 16; *Adocus*, 336; *Anisonchus*, 152; *A. agapetillus*, 206; *A. apiculatus*, 154; *A. cophater*, 149; *A. gillianus*, 154; Baënidae, 334; Bunotheria, 186; Calamodontidae, 235; *Catathlaeus*, 121; *Catopsalis*, 285; *C. foliatus*, 286, 287; *C. fissidens*, 288; *C. pollux*, 279, 281; Champsosauridae, 328; *C. australis*, *C. puercensis*, *C. saponensis*, 329; *Chelydra crassa*, 338; *Chirox*, 289, 290; *Chriacus*, 64; *C. baldwini*, 66; *C. inversus*, 224, 226; *C. rütimeyeranus*, 361; *C. schlosserianus*, 67; *C. simplex*, 40; *C. stenops*, 65; *C. truncatus*, 67; *Conoryctes*, 249; *C. comma*, 250, 254; *C. crassicuspis*, 80; correlation, 6, 344, 345, 346; *Crocodilus polyodon*, 366; *Deltatherium baldwini*, 66; *D. fundaminis*, 67, 70; *D. interruptum*, 53; *Didymictis*, 101; *D. haydenianus*, 102; *D. primus*, 102; *Dissacus*, 91; *D. carnifex*, 92; *Ectoconus*, 126, 127; *E. ditrigonus*, 128; *Ectoconus* error, 142; Ectoganidae, 235; *Ellipsodon acolytus*, 200; *Eucosmodon molestus*, 295; *Euprotogonia*, 188; family distinctions, 17; formational names, 346; *Goniacodon*, 85; *Haploconus*, 155; *H. corniculatus*, 161; *H. entoconus*, 145; *H. gillianus*, 154; *H. lineatus*, 156; *H. xiphodon*, 156, 157; Hemiganidae, 235; *Hemiganus*, 255; *H. otariidens*, 270, 271; *H. vultuosus*, 255; *Helagras*, 331; *H. prisciformis*, 331; *Hemithlaeus*, 150; *H. baldwini*, 204; *H. kowalevskianus*, 151; *Hexodon*, 249; *H. molestus*, 250; *Hyopsodus acolytus*, 200; *Indrodon*, 220, 221; *I. malaris*, 223; Leptictidae, 212; *Limnocyon protenus*, 101; *Lipodectes pelvidens*, 65; *L. penetrans*, 67; *Loxolophus*, 41; Mesonychidae, 89; *Mesonyx navajovius*, 91, 92; Miacidae, 100; *Mioclaenus*, 82, 86, 194, 195, 196, 201; *M. angustus*, 155, 156; *M. bathygnathus*, 82; *M. bucculentus*, 61; *M. corrugatus*, 36; *M. cuspidatus*, 38, 39; *M. ferox*, 23; *M. filholianus*, 57; *M. floverianus*, 187, 192; *M. gaudrianus*, 85; *M. inaequidens*, 198; *M. lydekkerianus*, 198; *M. mandibularis*, 153; *M. minimus*, 200; *M. opisthacus*, 204; *M. pentacus*, 53, 55; *M. protogonioides*, 37, 56; *M. sectorius*, 152, 153; *M. subtrigonus*, 61; *M. turgidunculus*, 206, 208; *M. turgidus*, 196; *M. zittelianus*, 196; *Mixodectes*, 220; *M. crassiusculus*, 222; *M. pungens*, 220, 221; Mixodectidae, 217; Multituberculata, 277, 279; navicular hook, 166; *Neoplagiaulax americanus*, 294; *N. molestus*, 294; *Onychodectes*, 238, 247; *O. tisonensis*, 238, 239; *Pantolambda*, 163, 183; *P. bathmodon*, 167, 172, 177; *P. cavirictus*, 180; Pantolambdidae, 162; *Pelycodus pelvidens*, 41, 64, 66; Periptychidae, 107, 185, relationships, 108, references, 116, 118, resemblances, 116; *P. carinidens*, 110, 112; *P. coarctatus*, 122; *P. ditrigonus*, 126, 128; Phenacodontidae, 187; *Phenacodus calceolatus*, 192; *P. puercensis*, 187, 192; *P. zuniensis*, 61; placental ancestry, 211; Plagiaulacidae, 296; *Plastomenus*, 335; *P. thomasi*, 335; Pleurosternidae, 332; Polymastodon, 286, 288; *P. attenuatus*, 281; *P. latimolis*, 281; *P. taöensis*, 279, 281; primitive mammalian characters, 315; *Protogonia plicifera*, 193; *P. subquadrata*, 187, 193; *P. zuniensis*, 362; *Psittacotherium*, 255, 257, 261; *P. aspasiae*, 269; *P. multifragum*, 255; *Ptilodus*, 289, 293; *P. mediaevus*, 289, 290; *P. trovessartianus*, 292; Reptilia, 327; *Sarcothraustes*, 75; *S. antiquus*, 79; *S. coryphaeus*, 81, 82; Taeniodonta, 228, 229; *Taeniolabis*, 280; *T. scalper*, 281; *T. sulcatus*, 279, 281; Taligrada, 103; *Tricentes*, 58; *T. crassicollidens*, 60; *T. inaequidens*, 199; *Triisodon*, 75; *T. biculminatus*, 82; *T. conidens*, 79; *T. heilprinianus*, 81, 82; *T. levisanus*, 85, 86; *T. quivirensis*, 78; *T. rusticus*, 80; *Zetodon*, 150
*cophater*, (*Anisonchus*) 149; (*Conacodon*) 149
*Coriphagus*, molar resemblance to *Pentacodon*, 226
*corniculatus* (*Haploconus*) 161
correlation, 7, 344, 350; European, 4, 7, 349, 354; table, 349
*corrugatus*, (*Claenodon*) 36

*crassa*, (*Chelydra*) 338; (*Hoplochelys*) 338
*crassicollidens*, (*Tricentes*) 60
*crassicuspis*, (*Conoryctes*) 80; (*Triisodon*) 80
*Creoadapis douwelli*, 59; Lemoine, relations, 59
Creodonta, 69, 364
Crocodilia, 344, 366
*Crocodilus polyodon*, 366
Crotalidae, 331
*cuspidatus*, (*Ozyclaenus*) 39
cusps, stylar. *See* mamalian molar
*Cynodontomys*, 64

Daudin, *Trionyx euphraticus*, 344
*Deltatherium*, classification, 68, 69; diagnosis, 67; figure, Pls. IX, X; relationships, 35, 69; revised description, 68
*D. baldwini*, 66
*D. fundaminis*, descriptions, 70; figure, 71, 72, 73, 74; type established, 68
*D. interruptum*, description, 53
Denver-Raton flora, 348
Dermatemydae, 336
Dermatemydidae, 336
*Diacodexis*, Eocene foot type, 318
*Diacodon*, 233
*D. puercensis*, 214, 215
Didelphiidae, dentition, 311; discussion, 297
*Didymictis*, diagnosis, 101
*D. haydenianus*, descriptions, 102; figure, Pls. XV, XVI
*D. primus*, description, 102
*Dissacus*, diagnosis, 91
*D. carnifex*, description, 92; Osborn and Earle, 96, 97
*D. navajovius*, description, 92; figure, 93, 94
*D. saurognathus*, comparisons, 97; diagnosis, 96; figure, Pls. XV, XVI
*ditrigonus*, (*Ectoconus*) 128; (*Periptychus*) 126
Dobbin, C. E., correlation, 349; (and Reeside) correlation, 354; (and Thom) correlation, 353; faunal study, 351
Dollo, L, *Champsosaurus*, 328; interpretation of marsupial evidence, 324; law, 321
Douglass, E., collections, 350; correlation, 345; *Ictops*, 213

Earle, Charles, *Euprotogonia* note, 188. Also *see* Osborn and Earle
*Ectoconus*, 127; comparisons, 131; dental variations, 130; description, 129; diagnosis, 126; Puerco foot type, 317; relationships, 126, 127
*E. ditrigonus*, description, 128; figure, Pl. XXIII
*E. majusculus*, diagnosis, 129; figure, 109, 129, 133, 141, Pls. XXIII–XXXII
Ectoganidae, diagnosis, 235
*Ectoganus*, part basis of Cope's Taeniodonta, 228
Edmonton, correlation, 5, 6, 7, 347, 348
*Ellipsodon*, diagnosis, 198; discussion, 198; key to species, 199
*E. acolytus*, description, 200; figure, 201; revised description, 201
*E. aequidens*, diagnosis, 203
*E. inaequidens*, description, 199; discussion, 200
*E. lemuroides*, diagnosis, 202; figure, 186, 202, 203
*E. priscus*, 203; diagnosis, 204; figure, 204
*eloisae*, (*Amyda*) 344
*elongata*, (*Hoplochelys*) 340
Embrithopoda, evolution and migration, 106
*Emys beata*, 336
*encinensis*, (*Mixoclaenus*) 63
*entoconus*, (*Conacodon*) 145; (*Haploconus*) 145
*Eoconodon*, diagnosis, 81; relationships, 82; synonyms, 82
*E. gaudrianus*, diagnosis, 85
*E. heilprinianus*, 82, 83; figure, 20, 21, 22, Pls. XII–XIV; specimens, 82
*Eohippus*, Eocene foot type, 318
*Epichriacus*, 67
*Erinaceus*, comparison with *O. tisonensis*, (footnote) 248
*escavada*, (*Baëna*) 334
*Eucosmodon*, diagnoses, 293
*E. americanus*, description, 294; figure, 294; *E. americanus primus*, 294
*E. molestus*, description, 294; figure, 295
*E. teilhardi*, diagnosis, 296; figure, 295
*Euprotogonia*, 187; replacement of *Prologonia*, 188
*E. minor*, 362
European correlation, 4, 7, 349, 354

faunal changes, factors, 357
*ferox*, (*Claenodon*) 23; (*Testudo*) 343
*filholianus*, (*Carcinodon*) 57
*fissidens*, (*Catopsalis*) 288
Fitzinger, L., *Platypeltis*, 343
flora, Animas, 346, 348, 349, 353, 354; correlation with fauna, 348, 349; Fort Union, 352
*floverianus*, (*Mioclaenus*) 187
*foliatus*, (*Catopsalis*) 286
foot types, evolution, 319; interrelationships, 319; Lower Eocene, 318; Puerco, 317; Torrejon, 318
formations, faunal yield, 347; names, 345, 346; table, 346
Fort Union, correlation, 7; flora, 352
Fruitland, 3, 5, 345, 346, 347, 349
*fundaminis*, (*Deltatherium*) 70

*gangeticus*, (*Trionyx*) 341
Ganodonta, synonym of Taeniodonta, 228; Winge classification adopted by Matthew, 231; Wortman definition, 229
Gardner, J. H., correlation, 346; formational names, 346; stratigraphic study, 1, 4; survey of Puerco, 6
*gaudrianus*, (*Eoconodon*) 85
Gervais, Paul M., Arctocyonidae, 15; reference of specimens, 16
Gidley, J. W., *Chirox*, 290; classification, 353; *Claenodon*, 28; collections, 350; correlation, 345; *Ectoconus*, 143; identifications, 2; *Myrmecoboides*, 215; *Neoclaenodon*, 37, 38; opposability, 31, 32; *Pantolambda* error, 184; primitive mammalian adaptation, 324, 325; *Ptilodus mediaevus*, 290; *P. plicatus*, 290; *Ptilodus* study, 279, 293; *P. trovessartianus*, 292; *Titanoides*, 162, 183
Giebel, C. G., Arctocyonidae, 15, 18, 19, 23
Gill, T., Arctocyonidae definition, 15; classification of Insectivora, 210; Plagiaulacidae, 296
*gillianus*, (*Anisonchus*) 154; (*Haploconus*) 154
Gilmore, C. W., 2, 347; *Adocus* diagnoses, 337; *Amyda*, 344; *Aspideretes* diagnoses, 342; Chelonia, 327, 332; *Compsemys* diagnoses, 332, 333; correlation, 346; *Hoplochelys* definitions, 339, 340; identification, 5; *Machaerosaurus*, 330; *Peltosaurus*, 330; *Plastomenus*, 336; Puerco Reptilia, 327
*Goniacodon*, 85; diagnoses, 85, 86
*G. levisanus*, diagnosis, 86; figure, 87; referred specimens, 89
*gracilis*, (*Zetodon*) 150
Granger, Walter, collections, 2, 129, 189; correlation, 344, 345, 346; formational names, 346; stratigraphy, 3, 6, 7

Granger and Matthew. *See* Matthew
Granger and Simpson, Allotheria, 277; *Catopsalis*, 286, 288; *C. fissidens*, 289; *C. foliatus*, 287; *Chirox*, 290, 292; *Eucosmodon*, 294, 295; indeterminate specimens, 295; multituberculate study, 279; *Ptilodus*, 290, 292, 293; Taeniolabididae, 279, 280, 281, 285
Granger and Sinclair, collections, 28
*grangeri*, (*Protogonodon*) 364
Gray, J. E., Crotalidae, 331; Dermatemydae, 336; Didelphiidae, 297
Gray Bull, faunal horizon, 7
Gregory, W. K., *Ectoconus* study, 127; Mongolian mammal study, 314; "palaeotelic characters," 321; Periptychidae, 108; Permian study, 325; phylogenetic grouping, 104; position of Taligrada, 104; "Protungulata," 104, 105; tritubercular theory, 308; zalambdodont molar, 308

*Haploconus*, diagnosis, 155; relationships, 155; Torrejon foot type, 318
*H. angustus*, comparisons, 160; description, 158; diagnosis, 156; figure, 109, 158, 160, Pls. XXXVIII, XXXIX; referred specimens, 158
*H. corniculatus*, description, 161; figure, 161; referred specimens, 162
*H. entoconus*, 145
*H. lineatus*, 155; description, 156; figure, Pl. XXXVIII
*H. xiphodon*, Cope-Matthew disagreement, 157; description, 156
Hay, O. P., *Adocus*, 337; *Alamosemys*, 336; *Aspideretes*, 341, 342, 343; *Baëna*, 334; *Chelonia*, 327; *Claenodon* type, 23; *Compsemys*, 332, 333; *Conacodon*, 145; *Conchochelys*, 341; correlation, 347; definition of genera, 42; *Deltatherium* type, 68; Dermatemydidae, 336; *Hoplochelys*, 338, 339, 340; Plastomenidae, 335; *Plastomenus*, 335; *Platypeltis*, 344; *Tetraclaenodon minor*, 362: Uintacyonidae, 100; *Wortmania*, 270
*heilprinianus*, (*Eoconodon*) 82
*Helagras*, diagnosis, 331
*H. prisciformis*, description, 331
Hemiganidae, 235
*Hemiganus*, diagnosis, 255
*H. otariidens*, 270, 271
*H. vultuosus*, 255
*Hemithlaeus*, Cope type error, 150; description, 150; Torrejon foot type, 318
*H. baldwini*, 204
*H. kowalevskianus*, 150; description, 151; figure, 109, 151, Pl. XXXV
*hesperius*, (*Adocus*) 337
*Hexodon*, diagnosis, 249
*H. molestus*, 249; description, 250; relationship, 250
*Hoplochelys*, diagnoses, 338
*H. bicarinata*, diagnosis, 339
*H. crassa*, 338, 339
*H. elongata*, diagnosis, 340
*H. laqueata*, diagnosis, 340
*H. paludosa*, 340; description, 341
*H. saliens*, description, 340
Hübner, J., *Protogonia*, 188
Huxley, T. H., tooth theory, 311
*hyattianus*, (*Loxolophus*) 43
Hyopsodidae, Schlosser, 194
Hyopsodontidae, 364; discussion, 194
Hyopsodontinae, Trouessart, 194
*Hyopsodus acolytus*, 200
Hyracoidea, first appearance, 106

*inaequidens*, (*Ellipsodon*) 199; (*Mioclaenus*) 198; (*Tricentes*) 199
*Ictops*, 212, 216; Douglass study, 213; Leidy study, 212; Matthew study, 213
*Indrodon*, classification, 218; description, 220; errors in reference, 224; figure, Pl. LVII; relationship to *Mixodectes*, 220, 221
*I. malaris*, 220, 223; Osborn and Earle, 203
Insectivora, classification, 209; dentition, 311; families, 212
*interruptus*, (*Loxolophus*) 53
*inversus*, (*Chriacus*) 224, 226; (*Pentacodon*) 226

Jepsen, Glenn, collections, 352; correlation, 349; *Eucosmodon* study, 293
"Jurassic mammals," 314
Judith River, 347

*Kimbetohia*, diagnosis, 363
*K. campi*, diagnosis, 363
*kimbetovius*, (*Protogonodon*) 56
Kirtland, stratigraphy, 3, 4; vertebrate fauna, 5, 345, 346, 347, 349
Knowlton, F. H., correlation, 6, 346, 347; flora, 348, 349

Lacertilia, 330
Lambe,, L. M., *Leidyosuchus*, 366
Lance, correlation, 4, 5, 6, 347, 352, 353, 354
*laqueata*, (*Hoplochelys*) 340
Laramie beds, 345, 346, 349
Largo, faunal horizon, 7, 346; correlation, 7
Laurillard, C. L., classification of Marsupialia, 16
"Lebo" fauna, 350
Leche, W., classification of Insectivora, 210
Leidy, J., *Baëna*, 334; *Compsemys*, 332; *Emys*, 336; *Hyopsodus*, 194; *Leptictis*, 212
*Leidyosuchus*, 366
*L. canadensis*, 366
*L. multidentatus*, 344; diagnosis, 366
Lemoine, V., *Adapicreodon*, 59; *Arctocyon*, 16; *Champsosaurus*, 328; *Creoadapis*, 59
*lemuroides*, (*Ellipsodon*) 202; (*Mioclaenus*) 202
Leptictidae, character changes, 214; coincidence of Gidley's *Myrmecoboides*, 216; discussion, 212; genera, 214; geologic stages, 213; Matthew definition, 213
*Leptictis*, 212
*levisanus*, (*Goniacodon*) 86; (*Triisodon*) 85
*Limnocyon protenus*, 101
*lineatus* (*Haploconus*), 155, 156
*Lipodectes*, 67; history of name, 68
*L. pelvidens*, 65, 68
*L. penetrans*, 67, 68
Litopterna, ancestry, 106
Lost Cabin, correlation, 7
*Loxolophus*, diagnoses, 41, 42; Puerco foot type, 317; relationships, 35; species, 43
*L. adapinus*, 43
*L. hyattianus*, 43; description, 44; figure, 20, 21, 22, 45, 48, 50
*L. interruptus*, 53
*L. priscus*, 51; diagnosis, 53; measurements, 52; referred specimens, 53
Lydekker. *See* Nicholson
Lysite, correlation, 7

*Machaerosaurus*, description, 330
*M. torrejonensis*, 330
*majusculus*, (*Ectoconus*) 129
*malaris*, (*Indrodon*) 203, 220; (*Mixodectes*) 223
Mammalia, origins and geologic range, 211. *See* Paleocene mammals, Tertiary mammals
mammalian molar, 305, 307; evolution in known phyla, 310; Mesozoic origin, 313; nomenclature (Osborn, Winge), 311; Simpson study, 312; value of palaeontological evidence, 308

*mandibularis*, (*Mioclaenus*) 153
Marsh, O. C., Allodontia, 290; Allotheria, 277; error in Uintathere restorations, 170; *Hyopsodus*, 194; Lance mammal studies, 297; Plagiaulacidae, 296; Stylinodontia, 228, 229, 230; Stylinodontidae, 235, 262
Marsupialia, 297
Matthew, W. D.,[230] Arctocyonidae, 27, 28; *Catopsalis*, 287; *Chriacus*, 66, 67; *Claenodon*, 27; *Conacodon*, 145; correlation, 344, 345, 346; *Diacodon*, 215; *Deltatherium*, 70; *Didymictis*, 102; *Ectoconus*, 127; *Euprotogonia*, 362; family distinctions, 17; formational names, 346; *Goniacodon*, 86; *Haploconus*, 157; *Hemithlaeus*, 151; *Kimbetovius*, 56; *Loxolophus*, 41, 44, 51; Mesonychidae, 89; Miacidae, 100; *Mioclaenus*, 361; milk dentition, 304; *Mixoclaenus*, 62; *Myrmecoboides* Gidley, 215; on definitions, 42; Oxyclaenidae, 17; *Oxyclaenus*, 39; *Palaeanodon*, 232, 233; *Palaeolestes*, 214; *Palaeoryctes*, 362; Periptychidae, 108; *Periptychus*, 112, 121; placental mammals, 166, 212, 315, 324; *Plagioptychus*, 122; Polymastodontinae, 296; *Prodiacodon*, 214; *Protogonodon*, 53, 54, 55, 56, 57; revision of Puerco fauna, 1; *Stenognathus*, 56; Taligrada, 105; Tiffany faunal list, 367; tooth evolution, 312; *Tricentes*, 59, 62; *Triisodon*, 77, 80, 82, 85; zalambdodont molar, 308
Matthew and Granger, 7; *Acmeodon*, 216; *Eoconodon*, 81; *Eucosmodon*, 293, 294; *Mixoclaenus*, 62, 63; *Thylacodon*, 297, 298
[230] Matthew genera, species and early studies.
*matthewi*, (*Carsioptychus*) 365; (*Plagioptychus*) 365
McDermott, 346, 348; correlation, 6; stratigraphy, 3, 4; vertebrate fauna, 5
*mediaevus*, (*Ptilodus*) 289, 290
Mesonychidae, definition, 90; discussion, 89
*Mesonyx*, early identification with *Pachyaena*, 91; geologic distribution, 91; key to genera, 91
*M. navajovius*, 92
*Metacheiromys*, 233; discovery, 232
Metatheria, 297
Miacidae, 100; single Paleocene genus, 101; Schlosser, Wortman, 100
*Microclaenodon*, 98; diagnosis, 99
*M. assurgens*, diagnosis, 99; figure, 99
Microsyopsidae, Wortman's term, 219
*minor*, (*Euprotogonia*) 362; (*Tetraclaenodon*) 362
Mioclaenidae, Osborn and Earle, 194
Mioclaeninae, Osborn and Earle, 195, 364
*Mioclaenus*, 82, 86, 361; classifications, 194; diagnoses, 195
*M. acolytus*, figure, Pl. VII
*M. angustus*, 155, 156
*M. baldwini*, 205
*M. bathygnathus*, 82
*M. bucculentus*, 61
*M. ferox*, 23
*M. filholianus*, 57
*M. floverianus*, 187, 192
*M. gaudrianus*, 85
*M. inaequidens*, 198
*M. lemuroides*, 202
*M. lydekkerianus*, 198
*M. mandibularis*, 153
*M. minimus*, Cope error, 200, 201
*M. opisthacus*, 204
*M. pentacus*, 53, 55
*M. protogonioides*, 56
*M. sectorius*, 152, 153
*M. subtrigonus*, 61
*M. turgidunculus*, 208
*M. turgidus*, 195, 196; figure, 186, 197
*Mixoclaenus*, diagnosis, 62; resemblances, 63
*M. encinensis*, 63; figure, Pl. VII
*Mixodectes*, classification (Matthew, Osborn), 218; definition (Osborn), 218; diagnosis, 220; figure, Pl. LVII; relationships, 219, 220, 221; Torrejon foot type, 318
*M. crassiusculus*, 222; figure, Pl. LVII
*M. malaris*, 223
*M. pungens* 220, 221
Mixodectidae, 217; Cope's distinctions, 218
*molestus*, (*Hexodon*) 249, 250; (*Eucosmodon*) 294; (*Neoplagiaulax*) 294
Mongolian fauna, 314, 323, 325; migration, 355, 358
Montana flora, 348
*Montanus*, (*Ptilodus*) 292
Mook, C. C., 4; *Leidyosuchus*, 344; Paleocene crocodiles, 327
*mooki*, (*Allognathosuchus*) 344, 366
*multifragum*, (*Psittacotherium*) 255
*multidentatus*, (*Leidyosuchus*) 344, 366
Multituberculata, 363; classification, 279; Cope definition, 278; Cope families, 296; discussion, 277; nomenclature, 278; primary groups, 300
Murray, Andrew, Arctocyonidae, 15
*Myrmecoboides* Gidley, validity questioned, 215

Nacimiento group, 4, 330
*navajovius*, (*Dissacus*) 92
navicular hook, 143, 166, 167, 179. *See* tibiale
*Neoclaenodon*, diagnosis, 37
*N. procyonoides*, diagnosis, 37; figure, Pl. I
Neoplagiaulacidae, Ameghino family, 289
*Neoplagiaulax americanus*, 294
Nicholson and Lydekker, Hyopsodontidae, 194
*Notostylops* beds, 232
Notoungulata, ancestry, 106

*occultus*, (*Pentacodon*) 228
Ojo Alamo beds, 345, 346, 348, 349, 353, 357; correlation, 7; fauna, 5; stratigraphy, 3
Oken, L., *Amyda*, 344
*Olbodotes*, 220; classification, 218
*O. copei*, 220, 221, 223
Olsen, George, collection, 2
*onerosus*, (*Adocus*) 337
*Onychodectes*, 233; affinities, 238; diagnosis, 238; Puerco foot types, 317
*O. rarus*, descriptions, 249
*O. tisonensis*, 238; derivation of specific names, 239; description, 239; evidence of insectivore relationship, 248; figure, 242, 245, 247, Pl. LVIII; principal specimens, 240; revised description, 240
Onychodectinae, 235, 238; diagnosis, 236
*opisthacus*, (*Mioclaenus*) 204; (*Protoselene*) 204
opposability, 324, 325
Osborn, H. F., 1; correlation, 345, 346, 347; *Coryphodon*, 169, 179; *Loxolophodon* teeth, 170; *Metacheiromys*, 232; *Mioclaenus*, 200; Mixodectidae, 218; navicular interpretation, 166; *Olbodotes*, 220, 221, 223; *Pantolambda*, 164, 167, 177, 182, 183; *Pentaceratops*, 4; Periptychidae, 108, 118, 185; phylogenetic grouping, 104; primitive mammalian characters, 315; *Ptilodus*, 292, 293; stylar cusps, 311; Supposed Primate, 203; Taligrada, 103; *Tetraclaenodon*, 189
Osborn and Earle, *Catopsalis*, 287; Chriacidae, 64; *Chriacus* error, 40; correlation, 6; *Deltatherium*, 69; *Dissacus*, 96, (error) 97, 98; *Ectoconus*, 127, 128, 129; family distinctions, 17; *Haploconus*,

145, 159, 160; *Hemithlaeus*, 151; *Indrodon*, 224, (error) 221; Mioclaenidae, 194; Mioclaeninae, 195, 196; *Onychodectes*, 238, 239, 249; *Oxyacodon*, 205, 206, 207; *Pantolambda*, 180, 181; *Periptychus*, 108, 112, 122; *Polymastodon*, 281; Polymastodontinae, 296; *Protochriacus*, 43, 44, 51; *Protogonodon*, 54; *Sarcothraustes*, 77; *Tricentes*, 59; *Triisodon*, 74, 82
*otariidens*, (*Hemiganus*) 270
*Oxyacodon*, diagnoses, 205, 206
*O. agapetillus*, description, 208
*O. apiculatus*, 205; description, 207; figure, 186, 207, Pl. XXXIV
*O. priscilla*, 206; diagnosis, 207; Matthew error, 207
*O. turgidunculus*, diagnosis, 208; principal specimens, 209
Oxyclaenidae, diagnosis, 16
Oxyclaeninae, 38, 361
*Oxyclaenus*, diagnoses, 38; relationships, 39
*O. cuspidatus*, description, 39; figure, 20, 21, 22, 40; measurements, 58
*O. simplex*, description, 40; figure, 41

*Pachyaena*, identification with *Mesonyx*, 91
*Palaeanodon*, 233; discovery, 232; relationships, 232
*Palaeolestes*, 214; figure, Pl. LVII; Torrejon foot type, 318
*Palaeoryctes*, 212
*P. puercensis*, description, 362
Palaeoryctidae, 362
Paleocene mammals, affinities and geologic range, 211, 302; ancestry, 211, 323; characters, 301, 315, 321, 323; comparative list of genera, 350, 351; distribution chart, 356; ecologic adaptation, 355; *Ectoconus* best-known, 127; faunal differentiation, 352; foot types, 315; groups, astragalar, 301, primary, 300, type, 306; stylar cusps, 307; tritubercular tooth pattern, 300, 304
Palmer, T. S., *Protogonius* reference, 188
*paludosa*, (*Hoplochelys*) 340
*Pantolambda*, comparisons, 166; definition and description, 164; diagnosis, 163; Torrejon foot type, 318
*P. bathmodon*, 163; Cope and Osborn studies, 177; description, 167; figure, 173, 174, 175, 178, 180, Pls. XL–L; principal specimens, 167; summary of tooth characters, 172
*P. cavirictus*, 180; comparisons, 182; figure, Pls. LI, LII
Pantolambdidae, diagnosis, 162; erection of family, 163; Osborn definition, 162
Pantolestidae, 224
*Paradoxodon*, diagnosis, 361
*P. rütimeyeranus*, 54, 55; diagnosis, 361
*Paramys*, Eocene foot type, 318
*parva*, (*Compsemys*) 332
Patagonian ungulates, 107
Patterson, Bryan, *Titanoides*, 162, 184
*Peltosaurus*, 330
*pelvidens*, (*Chriacus*) 65; (*Pelycodus*) 41
*Pelycodus*, Cope error, 217; Eocene foot type, 318
*P. pelvidens*, 66
*penetrans*, (*Lipodectes*) 68
*Pentacodon*, diagnosis, 224; figure, Pl. LVI; Scott error, 224
*P. inversus*, Cope error, 226; description, 226; measurements, 227; principal specimens, 226
*P. occultus*, diagnosis, 228; measurements, 228
*pentacus*, (*Protogonodon*) 55
*Peradectes elegans*, 297
Periptychidae, diagnosis, 107; figure, 109; key to genera, 110; relationships, 108; tooth specialization, 108; Winge classification, 126, 127
*Periptychus*, Cope error, 111; description, 110; key to species, 112; principal specimens, 113; revised diagnosis, 111; synonym, 155; Torrejon foot type, 318
*P. brabensis*, 123; Osborn and Earle, 112
*P. carinidens*, 110, 112; description, 113; figure, 115, Pl. XVIII
*P. cavirictus*, description, 181; figure, 182; principal specimens, 181
*P. coarctatus*, 122; comparisons, 123; description, 123; figure, 109, 123, 124, Pl. XIX
*P. ditrigonus*, 128
*P. rhabdodon*, 113, 121; distinction, 112; figure, 117, 119, 120, Pls. XVII–XXII
*P. superstes*, 121; figure, 122
Perissodactyla, evolution and migration, 106
*perplexus*, (*Aspideretes*) 342
Phenacodontidae, diagnosis, 187
*Phenacodus calceolatus*, 192; description, 192
*P. puercensis*, 187, 192
*P. zuniensis*, description, 61
Pictured Cliffs, 346, 347, 349
placental mammals, affinities and geologic range, 302. *See* Paleocene mammals
Plagiaulacidae, discussion, 296
*Plagioptychus*, 122
*P. matthewi*, 365
Plastomenidae, diagnosis, 335
*Plastomenus*, diagnosis, 335
*P. acupictus*, description, 335
*omasi*, 335
*P. torrejonensis*, diagnosis, 336
*Platypeltis*, 343
*P. antiqua*, diagnosis, 344
*Plesiadapis*, Torrejon foot type, 318
Pleurosternidae, diagnosis, 332
*plicatus*, (*Chirox*) 289, 290; (*Ptilodus*) 290
*plicifera*, (*Protogonia*) 193
*pliciferus*, (*Tetraclaenodon*) 193
*pollux*, (*Catopsalis*) 279
*Polymastodon*, diagnosis, 280
*P. attenuatus*, 281; description, 285
*P. latimolis*, 281; description, 284
*P. selenodus*, 281; description, 285
*P. taöensis*, 279, 281; description, 282
Polymastodontidae, 296
*polyodon*, (*Crocodilus*) 366
Poulton, E. B., *Ornithorhynchus*, 279
pre-hallux, pre-pollex, 121, 125, 167. *See* tibiale
preoccupied terms, Ganodonta, 230; *Palaeolestes*, 213; *Plagioptychus*, 122, 365; *Protogonia*, 188
Primate, Supposed, 203
*prisciformis*, (*Helagras*) 331
*priscilla*, (*Oxyacodon*) 206, 207
*priscus*, (*Ellipsodon*) 203; (*Loxolophus*) 51
Proboscidea, first appearance, 106
*procyonoides*, (*Neoclaenodon*) 37
*Prodiacodon*, 233; affinities, 215; diagnoses, 214, 215; figure, Pls. LV, LVI
*P. puercensis*, diagnosis, 215
*profundus*, (*Champsosaurus*) 328
Proglires, classification, 218
Prosimiae, Cope families, 218
*Protochriacus*, 41, 51
*P. attenuatus*, 43; description, 44

*Protogonia*, 187; diagnosis, 188; preoccupation, 188
*P. plicifera*, 193
*P. subquadrata*, 193
*P. zuniensis*, 362
*protogonioides*, (*Protogonodon*) 56
*Protogonodon*, 53; affinities, 54; diagnosis, 54; discussion, 57
*P. grangeri*, diagnosis, 364
*P. kimbetovius*, figure, 56
*P. pentacus*, 55; figure, 21, 22, Pls. XI, XIII, XIV
*P. protogonioides*, 56
*P. stenognathus*, diagnosis, 56; figure, Pl. XIII
*Protoselene*, diagnosis, 204; figure, Pl. LV
*P. opisthacus*, diagnosis, 204; discussion, 205; figure, 186
Psittacotheriinae, 255; diagnosis, 237
*Psittacotherium*, 233, 234; affinities, 268; diagnosis, 255; figure, Pl. LXIV; principal specimens, 257; Torrejon foot type, 318
*P. aspasiae*, description, 269
*P. multifragum*, description, 255; figure, 258, 260, 261, 264, 268, Pls. LIX–LXII; revised descriptions, 256, 257
Ptilodontidae, 363; diagnosis, 289
*Ptilodus*, diagnosis, 289; Torrejon foot type, 318
*P. mediaevus*, 290; diagnosis, 291; figure, 291
*P. montanus*, figure, 292
*P. trovessartianus*, description, 293; figure, 292
*puercensis*, (*Aspideretes*) 343; (*Champsosaurus*) 329; (*Compsemys*) 333; (*Diacodon*) 214; (*Palaeoryctes*) 362; (*Phenacodus*) 187, 192; (*Prodiacodon*) 215
*pungens*, (*Mixodectes*) 220, 221
*pusillus*, (*Thylacodon*) 297, 298
Pyrotheria, origin, 106

*quadratus*, (*Aspideretes*) 342
*quivirensis*, (*Triisodon*) 78

*rarus*, (*Onychodectes*) 249
Reeside, J. B., correlation, 349, 354; formational names, 346, 347; stratigraphy, 2, 4
*reesidei*, (*Aspideretes*) 341
Reptilia, discussion, 327; systematic revision, 328
*rhabdodon*, (*Catathlaeus*) 121; (*Periptychus*) 112, 121
Rhynchocephalia, 328
Roth (and Ameghino), Pat agonian ungulates, 107
*rütimeyeranus*, (*Chriacus*) 361; (*Paradoxodon*) 54, 55, 361

*sagatus*, (*Aspideretes*) 342
*saliens*, (*Hoplochelys*) 340
Sand Coulée, faunal horizon, 7
*saponensis*, (*Champsosaurus*) 329
*Sarcothraustes*, Cope, 76; description, 75; Matthew, 77; Osborn and Earle, 77; Scott, 76
*S. antiquus*, description, 79
*S. conidens*, figure, 20, 21, 22
*S. coryphaeus*, 81, 82
*saurognathus*, (*Dissacus*) 96
Sawtelle, A. C., collections, 364
Schlosser, Max, creodonts, 68, 100; Hyopsodidae, 194; Leptictidae, 212; Miacidae, 100; *Mioclaenus*, 15; correlation, 345
Schneider, J. G., *Testudo ferox*, 343
Scott, W. B., 3; *Carcinodon*, 57; *Claenodon*, 23, 33; classifications, 69, 200; *Deltatherium*, 70, 72; *Ellipsodon*, 198; *Epichriacus*, 67; family distinctions, 15, 16, 17; Ganodonta, 231; *Goniacodon*, 85; ground-sloth study, 265; *Loxolophus*, 41, 44; Mesonychidae, 89, 97; *Microclaenodon*, 98; *Mioclaenus*, 194, 196; Oxyclaenidae, 14, 38; *Paradoxodon*, 361; *Pentacodon*, 224; *Protochriacus*, 41, 51; *Protogonodon*, 53; *Psittacotherium*, 269; *Sarcothraustes*, 76, 82; Taeniodonta, 230, 232; *Tetraclaenodon*, 187; *Tricentes*, 59; *Triisodon*, 74, 76, 82
Schuchert, Charles, palaeozoology, 328
*sectorius*, (*Anisonchus*) 153; (*Mioclaenus*) 152, 153
Sentinel Butte, fauna, 350
*Serpentes*, 331
*simplex*, (*Oxyclaenus*) 40
Simpson, G. G., *Allognathosuchus*, 344, 366; *Carsioptychus*, 365; *Chriacus*, 364; correlation, 345, 353; Cretaceous placentals, 304; (and Elftman) *Eucosmodon*, 293; faunal studies, 297, 314, 350, 351, 352; *Kimbetohia*, 363; marsupial-placental ancestry, 323; Mongolian mammals, 314; multituberculates, 279; *Notostylops* beds, 232; Paleocene crocodiles, 327; Palaeoryctidae, 362; *Plagioptychus*, 122, 365; *Periptychus*, 121, 122; *Protogonodon*, 364; Ptilodontidae, 289; Tiffany faunal list, 367; *Tiznatzinia*, 364, 365; tooth evolution, 312. Also *see* Granger and Simpson
Sinclair, W. J., 2, 3, 352; correlation, 344, 345; *Loxolophus*, 44; *Pantolambda*, 167; stratigraphy, 3. Also *see* Granger and Sinclair
*singularis*, (*Aspideretes*) 343
Sirenia, first appearance, 106
Stanton, T. W., correlation, 6, 347
Stehlin, H. G., Insectivora, 210; Plesiadapidae, 219
*stenognathus*, (*Protogonodon*) 56
Sternberg, Charles, collections, 4
stylar cusps. *See* mammalian molar
*Stylinodon*, 234
Stylinodontia, 228
Stylinodontidae, discussion, 235; genera, 237; geologic range, 237; revised diagnosis, 236; species, 237; subfamilies, 236; synonyms, 235; Winge diagnosis, 236; Wortman study, 229
Stylinodontinae, diagnosis, 237
*subquadrata*, (*Protogonia*) 193
*substricta*, (*Alamosemys*) 336, 337
*substrictus*, (*Adocus*) 337
*subtrigonus*, (*Tricentes*) 61
*sulcatus*, (*Taeniolabis*) 279, 281
*superstes*, (*Periptychus*) 121
*Synoplotherium*, 97

Taeniodonta, affinities, 228, 232, 235; diagnosis, 228; nomenclature, 231; synonyms, 228; taxonomic position, 228
Taeniolabididae, 279
*Taeniolabis*, diagnosis, 280; synonyms, 279
*T. sulcatus*, description, 281; figure, 281
*T. taõensis*, 281; figure, 282, 283, 284
*T. triserialis*, diagnosis, 285
Taligrada, 106, 168; Cope's definition, 103; dentition, 313; discussion, 103; phylogenetic grouping, 104; relationships, 106
*taõensis*, (*Polymastodon*) 279, 281; (*Taeniolabis*) 281
Teilhard, P., Arctocyonidae, 16, 28, 37; correlation, 4, 7, 345; *Creodapis*, 59
Tertiary mammals, dispersal, 355, 358, 359; relationships, 355, 358
testitudines, 332
*Testudo ferox*, 343

*Tetraclaenodon*, confusion in classification, 188; diagnosis, 187, 188; figure, Pls. LIII, LIV; Torrejon foot type, 318
*T. minor*, description, 362
*T. pliciferus*, description, 193
*T. puercensis*, diagnosis, 192; figure, 186, 190, 191, 192, Pls. LIII, LIV
Thom and Dobbin, correlation, 353; faunal study, 351
*thomasi*, (*Plastomenus*) 335
*Thryptacodon*, comparison, 37; relationships, 35
*Thylacodon*, description, 297
*T. pusillus*, 297; diagnosis, 298
tibiale. *See* navicular hook
Tiffany, 345, 346, 349, 357; correlation, 7; fauna, 7, 121, 350, 367; Granger name, 2; palaeontology, 4; stratigraphy, 3, 4
*tisonensis*, (*Onychodectes*) 239
*Titanoides*, 162, 183, 184
*Tiznatzinia*, 364; diagnosis, 365
*T. vanderhoofi*, 364; diagnosis, 365
*torrejonensis*, (*Compsemys*) 333; (*Machaerosaurus*) 330; (*Plastomenus*) 336
*Tricentes*, 60; descriptions, 58, 59; relationships, 59
*T. bucculentus*, 59
*T. crassicollidens*, 59; description, 60
*T. subtrigonus*, 59; descriptions, 61, 62; figure, 20, 21, 22, Pls. III, VII
*Triisodon*, classification, 76; description, 75; Matthew, 77, 85; Scott, 76, 82; synonym, 75
*T. antiquus*, figure, 20, 21, 22
*T. biculminatus*, 82
*T. crassicuspis*, 80, 81
*T. conidens*, 79, 80
*T. heilprinianus*, 81; description, 82
*T. inaequidens*, 199
*T. levisanus*, description, 86
*T. quivirensis*, 291; description, 78; figure, Pl. XI
*T. rusticus*, 80; description, 80
Triisodontidae, diagnosis, 74
Triisodontinae, 75
Trionychidae, 341
*Trionyx gangeticus*, 341
*T. euphraticus*, 344
*Triserialis*, (*Taeniolabis*) 285
tritubercular theory, 308, 311
trituberculates, characters, 301; dentition, 300, 301, 304; fundamental groups, 301
Tritylodontidae, 296
Trouessart, E. L., Hyopsodontinae, 194; Triisodontinae, 74
*truncatus*, (*Chriacus*) 67
*turgidunculus*, (*Mioclaenus*) 206, 208; (*Oxyacodon*) 208
*turgidus*, (*Mioclaenus*) 195

Uintacyonidae, 100
U. S. Geological Survey, Bulletin 179, 23; researches, 3; surveys, 1, 2, 6

*vafer*, (*Compsemys*) 333
Vander Hoof, V. L., collections, 363
*vanderhoofi*, (Tiznatzinia) 365
*vegetus*, (*Aspideretes*) 342
*victa*, (*Compsemys*) 332
Viverravidae, Wortman, 100
Von Huene, F., sauropod study, 348
*vultuosus*, (*Hemiganus*) 255

Ward, correlation, 349
Wasatch, 349, 357; correlation, 7; mammals, 12; palaeontology, 4; stratigraphy, 1, 3
Watson, D. M. S., Permian study, 325
Wheeler Survey, 101
White River, fauna, 13
Williston, Permian study, 325
Winge, H., Conoryctinae, 249; *Ectoconus*, 126, 127; *Ellipsodon*, 199; Ganodonta, 230, 231; Insectivora, 210; *Mioclaenus*, 194; *Onychodectes*, 238; *Palaeanodon*, 233; *Periptychus*, 111; *Psittacotherium*, 268; stylar cusps, 307, 311; Stylinodontidae, 236; taeniodont studies, 232; tooth evolution, 312
Wortman, J. L., ancestry of placentals, 211; Arctocyonidae, 28; Canidae, 100; Carnassidentia, 100; collections, 1, 6, 66; Conoryctidae, 235; correlation, 345, 346; *Dissacus*, 95; formational names, 346; Ganodonta, 228, 229, 235; *Hemiganus*, 270; *Hexodon*, 251; *Hyopsodon*, 194; Insectivora, 248; Mesonychidae, 89; Metacheiromys, 232; *Mixodectes* disagreement, 218; *Onychodectes*, 238, 239, 244; Onychodectinae, 235, 238; *Psittacotherium*, 256, 257, 258, 261, 262, 263, 266, 268, 271; Puerco foot type, 317; *Synoplotherium*, 97; Viverravidae, 100
*Wortmania*, 233, 270; affinities, 277; revised diagnosis, 271
*W. otariidens*, diagnoses, 271, 273; figure, 275, 276, Pls. LXI–LXIII; revised description, 274

*Xenarthra* records, 232
*xiphodon*, (*Haploconus*) 156

*Zetodon*, diagnosis, 150
*Z. gracilis*, 150
*zittelianus*, (*Mioclaenus*) 196
*zuniensis*, (*Phenacodus*) 61; (*Protogonia*) 362